Vol. 196 No. 1/2

GENE

AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

1 September 1997

CONTENTS

Mihalich, A., Magnaghi, P., Sessa, L., Trubia, M., Acquati, F. and Taramelli, R. 1–8
Genomic structure and organization of kringles type 3 to 10 of the apolipoprotein(a) gene in 6q26–27

Ryan, M.T., Herd, S.M., Sberna, G., Samuel, M.M., Hoogenraad, N.J. and Høj, P.B. 9–17
The genes encoding mammalian chaperonin 60 and chaperonin 10 are linked head-to-head and share a bidirectional promoter

Sun, B., Jeyaseelan, K., Chung, M.C.M. and Teo, T.-S. 19–23
Rabbit ubiquitin-activating enzyme E1: cDNA cloning, sequence and expression

MacNicol, M.C., Pot, D. and MacNicol, A.M. .. 25–29
pXen, a utility vector for the expression of GST-fusion proteins in *Xenopus laevis* oocytes and embryos

Babcock, M.J., Buttner, M.J., Keler, C.H., Clarke, B.R., Morris, R.A., Lewis, C.G. and Brawner, M.E. 31–42
Characterization of the *rpoC* gene of *Streptomyces coelicolor* A3(2) and its use to develop a simple and rapid method for the purification of RNA polymerase

Fukuoka, M., Miki, H. and Takenawa, T. 43–48
Identification of N-WASP homologs in human and rat brain

Kawazu, S.-I., Lu, H.-G. and Chang, K.-P. 49–59
Stage-independent splicing of transcripts from two heterogeneous neighboring genes in *Leishmania amazonensis*

Valle, E.M., Gonzalez, D.H., Gago, G. and Chan, R.a.L. 61–68
Isolation and expression pattern of *hahr1*, a homeobox-containing cDNA from *Helianthus annuus*

Suarez, A., Güttler, A., Strätz, M., Staendner, L.H., Timmis, K.N. and Guzmán, C.A. 69–74
Green fluorescent protein-based reporter systems for genetic analysis of bacteria including monocopy applications

Bessen, D.E., Izzo, M.W., McCabe, E.J. and Sotir, C.M. 75–82
Two-domain motif for IgG-binding activity by group A streptococcal *emm* gene products

Haoudi, A., Rachidi, M., Kim, M.-H., Champion, S., Best-Belpomme, M. and Maisonhaute, C. . 83–93
Developmental expression analysis of the 1731 retrotransposon reveals an enhancement of Gag–Pol frameshifting in males of *Drosophila melanogaster*

Wang, J.-Y., Drlica, K. and Syvanen, M. 95–98
Monovalent cations differ in their effects on transcription initiation from a σ-70 promoter of *Escherichia coli*

Park, J.M., Lee, J.Y., Hatfield, D.L. and Lee, B.J. 99–103
Differential mode of TBP utilization in transcription of the $tRNA^{[Ser]Sec}$ gene and TATA-less class III genes

Wang, S., Pirtle, I.L. and Pirtle, R.M. 105–111
A human 28S ribosomal RNA retropseudogene

Ong, E., Pollock, W.B.R. and Smith, M. 113–119
Cloning and sequence analysis of two laccase complementary DNAs from the ligninolytic basidiomycete *Trametes versicolor*

Osawa, M., Umetsu, K., Sato, M., Ohki, T., Yukawa, N., Suzuki, T. and Takeichi, S. 121–125
Structure of the gene encoding human alpha$_2$-HS glycoprotein (AHSG)

Shakarian, A.M., Ellis, S.L., Mallinson, D.J., Olafson, R.W. and Dwyer, D.M. 127–137
Two tandemly arrayed genes encode the (histidine) secretory acid phosphatases of *Leishmania donovani*

Skowronek, K. and Baranowski, S. 139–144
The relationship between HP1 and S2 bacteriophages of *Haemophilus influenzae*

Ibáñez, M., Álvarez, I., Rodríguez-Peña, J.M. and Rotger, R. 145–158
A ColE1-type plasmid from *Salmonella enteritidis* encodes a DNA cytosine methyltransferase

Coulson, R.M.R., Connor, V. and Ajioka, J.W. 159–164
Using 3′ untranslated sequences to identify differentially expressed genes in *Leishmania*

Sakurai, H. and Ishihama, A. 165–174
Gene organization and protein sequence of the small subunits of *Schizosaccharomyces pombe* RNA polymerase II

Kröger, M. and Tschesche, H. 175–180
Cloning, expression and activation of a truncated 92-kDa gelatinase minienzyme

Morikawa, K., Ohbayashi, T., Nakagawa, M., Konishi, Y., Makino, Y., Yamada, M., Miyawaki, A., Furuichi, T., Mikoshiba, K. and Tamura, T.-a. 181–185
Transcription initiation sites and promoter structure of the mouse type 2 inositol 1,4,5-trisphosphate receptor gene

Abram, C.L., Page, M.J. and Edwards, P.A.W. 187–189
A new retroviral vector, CA1, to identify and select for cells expressing an inserted gene in vitro and in vivo

Koltai, H., Chejanovsky, N., Raccah, B. and Spiegel, Y. 191–199
The first isolated collagen gene of the root-knot nematode *Meloidogyne javanica* is developmentally regulated

Lu, J., Chuong, C.-M. and Widelitz, R.B. 201–207
Isolation and characterization of chicken β-catenin

Nakatsu, C.H., Providenti, M. and Wyndham, R.C. 209–218
The *cis*-diol dehydrogenase *cbaC* gene of Tn*5271* is required for growth on 3-chlorobenzoate but not 3,4-dichlorobenzoate

Calkhoven, C.F., Gringhuis, S.I. and AB, G. 219–229
The chicken CCAAT/Enhancer Binding Protein α gene. Cloning,characterisation and tissue distribution

Continued on inside back cover

0378-1119(19970901)196:1-2;1-9

The table of contents of *Gene* is included in ESTOC — Elsevier Science Tables of Contents service — which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or
http://www.elsevier.com/locate/estoc

Contents (*cont.*)

Satchidanandam, V. and Shivashankar, Y. 231–237
Availability of a second upstream AUG can completely overcome inhibition of protein synthesis initiation engendered by mRNA secondary structure encompassing the start codon

Gillaspy, A.F., Patti, J.M., Pratt, F.L. Jr., Iandolo, J.J. and Smeltzer, M.S. 239–248
The *Staphylococcus aureus* collagen adhesin-encoding gene (*cna*) is within a discrete genetic element

Smeltzer, M.S., Gillaspy, A.F., Pratt, F.L. Jr., Thames, M.D. and Iandolo, J.J. 249–259
Prevalence and chromosomal map location of *Staphylococcus aureus* adhesin genes

Bhattacharyya, D. and Das, J. 261–266
The *secY* gene of *V. cholerae*: identification, cloning and characterization

Stanchina, E.d., Perini, G., Patrone, G., Suarez-Covarrubias, A., Riva, S. and Biamonti, G. 267–277
A repeated element in the human lamin B2 gene covers most of an intron and reiterates the exon/intron junction

Kim, S.H., Cohen, B., Novick, D. and Rubinstein, M. 279–286
Mammalian type I interferon receptors consists of two subunits: IFNaR1 and IFNaR2

Ganesh, S. and Raman, R. 287–290
CvSox-4, the lizard homologue of the human *SOX4* gene, shows remarkable conservation among the amniotes

Zou, J. and Taylor, D.C. 291–295
Cloning and molecular characterization of an *Arabidopsis thaliana* RING zinc finger gene expressed preferentially during seed development

Author Index Vol. 196 (1997) 297–299